

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| S135 | 53 | S134 and @ad < "20031023" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 13:49 |
| S134 | 161 | strong adj2 name\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 13:48 |
| S132 | 8 | ((identifying identifies identity unique\$2) near3 (namespace\$1 manifest assembly application\$1 component\$1)) with (public adj key adj token\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 13:35 |
| S131 | 8 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (processor near2 architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:22 |
| S130 | 8 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (public adj key adj token\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:16 |
| S129 | 3 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (process adj architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:16 |

| | | | | | | |
|------|-------|--|--|----|-----|------------------|
| S128 | 7 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (process near2 architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:12 |
| S127 | 3 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with ((deploy deployment) near (ID identifier)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:09 |
| S126 | 5 | S125 and S120 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:02 |
| S125 | 373 | S124 and @ad < "20031023" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:02 |
| S124 | 910 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 10:02 |
| S123 | 35 | S122 and S119 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:41 |
| S122 | 17229 | (setting\$1) near5 management | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:41 |
| S121 | 165 | S119 and S120 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:40 |

| | | | | | | |
|------|-------|--|--|----|-----|---------------------|
| S120 | 46917 | (configuration setting\$1) near5 management | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:40 |
| S119 | 1740 | S118 and @ad < "20031023" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:39 |
| S118 | 3868 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (name\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:38 |
| S117 | 3 | ((identifying identifies identity unique\$2 namespace \$1) near3 (manifest assembly application \$1 component\$1)) with (process adj architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:35 |
| S116 | 3 | ((identifying identifies identity unique\$2 namespace \$1) near3 (assembly application\$1 component\$1)) with (process adj architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:34 |
| S115 | 2 | ((identifying identifies identity unique\$2 namespace \$1) near3 application \$1) with (process adj architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:30 |
| S114 | 2 | ((identifying identifies identity unique\$2) near3 application\$1) with (process adj architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:29 |
| S113 | 2 | ((identifying identifies identity) near3 application\$1) with (process adj architecture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:29 |

| | | | | | | |
|------|--------|--|--|----|-----|------------------|
| S112 | 3 | ((identifying identifies identity) near3 application\$1) with ((process adj architecture) (public adj key adj token)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/07 09:24 |
| S111 | 78 | S109 and @ad < "20031023" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:16 |
| S110 | 2002 | "I16" and @ad < "20031023" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:16 |
| S109 | 127 | application\$1 with ((process adj architecture) (public adj key adj token)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:16 |
| S108 | 0 | application\$1 with ((process adj architecture) (public adj key adj token)) with namespace\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:15 |
| S107 | 119 | S105 and @ad < "20031023" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:11 |
| S105 | 289 | application\$1 with (name version language ((deployment deploy) adj ID) (process adj architecture) (public adj key adj token)) with namespace\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:09 |
| S104 | 148994 | application\$1 with (name version language ((deployment deploy) adj ID) (process adj architecture) (public adj key adj token)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/06 17:08 |

10/8/2009 10:41:43 AM

C:\Documents and Settings\pwang\My Documents\EAST\Workspaces\10693019.wsp